

Humidification & Air Purification in one MCK555A



- Humidification and purification in one
- Pure air thanks to Daikin's 'Catch and Clean' approach in decomposing harmful substances
- High performance electrostatic HEPA filter with no need to change for 10 years
- Whisper quiet
- Colour LEDs to provide info about indoor air quality

Sensors

Dust (PM2.5/dust) sensor	•
Odour sensor	•
Humidity sensor	•

Mode

Auto fan mode	•
Anti-pollen mode	•
Turbo mode	•
Quiet mode	•
Econo mode	•
Moist mode	•

Functions

Catch & clean	•
Deodorizing filter	•
Remote Controller	•
Child proof lock	•
Brightness adjustment	•
Auto restart after power failure	•



Specifications

Single Unit					MCK555A
Applicable room area			m ²		41(1)/82(2)
Dimensions	Unit	HeightxWidthxDepth	mm		700x270x270
Weight	Unit		kg		9.5
Colour					White
Air flow rate		Air purifying operation	Quiet/Low/Standard/Turbo	m ³ /h	54/120/192/330
		Humidifying operation	Quiet/Low/Standard/Turbo	m ³ /h	54/144/192/330
Sound pressure level	Air purifying operation	Quiet/Low/Standard/Turbo		dB(A)	20.0/33.0/39.0/53.0
	Humidifying operation	Quiet/Low/Standard/Turbo		dB(A)	20.0/33.0/39.0/53.0
Humidifying operation	Power input	Quiet/Low/Standard/Turbo		kW	0.009/0.014/0.019/0.058
	Humidification	Quiet/Low/Standard/Turbo		ml/h	130/240/300/500
	Water tank capacity			l	2.7
Air purifying operation	Power input	Quiet/Low/Standard/Turbo		kW	0.007/0.010/0.017/0.056
Power supply	Phase/Frequency/Voltage			Hz/V	1~/50/60/220-240/220-230

The applicable room area is appropriate for operating the unit of maximum fan speed (HH). Applicable room area indicates the space where a certain amount of dust particles can be removed in 30 minutes. ((1) in accordance with JEM (2) in accordance with CADR (JEM) & NRCC-54013-2011 standard) | Humidification amount changes in accordance with indoor and outdoor temperature and humidity. Measurement condition: 20°C in temperature, 30% in humidity. | Operating sound levels are the average of values measured at 1m away from the front, left, right and top of the unit. (These are equal to the values in an anechoic chamber) | Electrostatic HEPA filter and humidifying filters are attached in the unit.

*Note: blue cells contain preliminary data